

Back:

1. Welcome

Thank you for purchasing IOGEAR's 4-Port FireWire® Universal Combo Hub. One of the fastest Hi-Speed USB 2.0 / FireWire® Hubs on the market, IOGEAR only manufactures high quality products. We are committed to providing you with the best products, the best prices, and dedicated to customer service and satisfaction, and we're the best with your new USB 2.0 / FireWire® Universal Combo Hub. IOGEAR's 4-Port FireWire® Universal Combo Hub is a Hi-Speed USB 2.0, USB, FireWire® KVM, and other peripheral products. For more information, purchase or support, visit IOGEAR products online at www.IoGear.com.

We hope you are using your USB 2.0 / FireWire® Universal Combo Hub, yet another fast-rate connectivity solution.

Note:
Your product has been carefully packaged and inspected, and we hope you are pleased with the quality of the product. If you find that anything is missing or damaged, please inspect the contents of the package to ensure that you have received the correct product. If you find that nothing has been damaged, if you discover a problem, please contact your dealer immediately for assistance.

Contact Information:
23 Hubbs
Irvine, CA 92618
USA
www.IoGear.com
support@Iogear.com

2. Overview

The USB 2.0 / FireWire® Universal Combo Hub is yet another innovative mobile connectivity solution developed by IOGEAR. The USB 2.0 / FireWire® Universal Combo Hub offers a complete high speed connectivity solution for your mobile computing needs. The IOGEAR USB 2.0 / FireWire® Universal Combo Hub is a Hi-Speed USB 2.0, USB, FireWire® KVM, and other peripheral products. For more information, purchase or support, visit IOGEAR products online at www.IoGear.com.

We hope you are using your USB 2.0 / FireWire® Universal Combo Hub, yet another fast-rate connectivity solution.

3. Features

FireWire®:

- Provides three (3) 1394b upstream ports
- Up to 400Mbps data transfer rate
- Supports 1394b/400 Mbps connections
- Fast 1394b connection
- Chain up to 63 devices together

USB:

- Provides two (2) downstream and (1) upstream port
- Up to 480Mbps data transfer rate
- 100% Backward compatible with USB v1.1
- Up to 127 devices
- Chain up to 127 devices together
- Up to 512 devices total
- Easy to install - no jumpers, switches or terminators required
- Up to 100' reach

4. System Requirements

Minimum System Requirements:

Mac:

- PowerPC G4 - 900MHz - or later
- Windows ME, 2000, ME, XP
- USB port
- Available USB port
- Available FireWire port

PC:

- PowerPC G4 - 900MHz - or later
- Windows 98SE, 2000, ME, XP
- USB port
- Available USB port
- Available FireWire port

Recommended System Requirements:

Mac:

- PowerPC G4 1.0GHz or higher
- Mac OS 10.2.8 (Leopard) or later
- USB port
- Available USB port
- Available 1394 FireWire port

PC:

- AMD Athlon 2100+ or Intel Pentium® 4.0GHz Processor
- Windows 98SE, 2000, ME, XP
- USB port
- Available USB port
- Available 1394 FireWire port

5. Pictorial Introduction

6. Hardware Installation of USB 2.0 Universal Hub

Note: Before you begin, please make sure that your computer has been turned off.

Step 1 Connect the power adapter to the power supply and the other end to the USB 2.0 FireWire Hub.

Step 2 (If using the USB Hub)
Plug the Hi-Speed USB 2.0 Cable (Type B) connects into the USB 2.0 upstream port.

Step 3 (If using the FireWire Hub)
Plug the Hi-Speed USB 2.0 Cable (Type A) connects into your computer's USB 2.0 or USB 1.1 port.

Step 4 Turn on your computer.

Step 5 Once your computer has finished booting up, a series of messages will let you know that the USB 2.0 Hub has been recognized and the Hub is successfully installed. If you do not see the message, a series of warning will prompt to remind you that a non-high speed port has been detected. In that case just close the warning window and continue.

1. Welcome

Thank you for purchasing IOGEAR's 4-Port USB 2.0 / 3-Port FireWire® Universal Combo Hub. One of the fastest Hi-Speed USB 2.0 / FireWire® Hubs on the market, IOGEAR only manufactures high quality products. We are committed to providing you with the best products, the best prices, and dedicated to customer service and satisfaction, and we're the best with your new USB 2.0 / FireWire® Universal Combo Hub. IOGEAR's 4-Port USB 2.0 / 3-Port FireWire® Universal Combo Hub is a Hi-Speed USB 2.0, USB, FireWire® KVM, and other peripheral products. For more information, purchase or support, visit IOGEAR products online at www.IoGear.com.

We hope you are using your USB 2.0 / FireWire® Universal Combo Hub, yet another fast-rate connectivity solution.

Note:
Your product has been carefully packaged and inspected, and we hope you are pleased with the quality of the product. If you find that anything is missing or damaged, please inspect the contents of the package to ensure that you have received the correct product. If you find that nothing has been damaged, if you discover a problem, please contact your dealer immediately for assistance.

Contact Information:
23 Hubbs
Irvine, CA 92618
USA
www.IoGear.com
support@Iogear.com

2. Overview

The USB 2.0 / FireWire® Universal Combo Hub is yet another innovative mobile connectivity solution developed by IOGEAR. The USB 2.0 / FireWire® Universal Combo Hub offers a complete high speed connectivity solution for your mobile computing needs. The IOGEAR USB 2.0 / FireWire® Universal Combo Hub is a Hi-Speed USB 2.0, USB, FireWire® KVM, and other peripheral products. For more information, purchase or support, visit IOGEAR products online at www.IoGear.com.

We hope you are using your USB 2.0 / FireWire® Universal Combo Hub, yet another fast-rate connectivity solution.

3. Features

FireWire®:

- Provides three (3) 1394b upstream ports
- Up to 400Mbps data transfer rate
- Supports 1394b/400 Mbps connections
- Fast 1394b connection
- Chain up to 63 devices together

USB:

- Provides two (2) downstream and (1) upstream port
- Up to 480Mbps data transfer rate
- 100% Backward compatible with USB v1.1
- Up to 127 devices
- Chain up to 127 devices together
- Up to 512 devices total
- Easy to install - no jumpers, switches or terminators required
- Up to 100' reach

4. System Requirements

Minimum System Requirements:

Mac:

- PowerPC G4 - 900MHz - or later
- Windows ME, 2000, ME, XP
- USB port
- Available USB port
- Available FireWire port

PC:

- PowerPC G4 - 900MHz - or later
- Windows 98SE, 2000, ME, XP
- USB port
- Available USB port
- Available FireWire port

Recommended System Requirements:

Mac:

- PowerPC G4 1.0GHz or higher
- Mac OS 10.2.8 (Leopard) or later
- USB port
- Available USB port
- Available 1394 FireWire port

PC:

- AMD Athlon 2100+ or Intel Pentium® 4.0GHz Processor
- Windows 98SE, 2000, ME, XP
- USB port
- Available USB port
- Available 1394 FireWire port

5. Pictorial Introduction

6. Hardware Installation of USB 2.0 Universal Hub

Note: Before you begin, please make sure that your computer has been turned off.

Step 1 Connect the power adapter to the power supply and the other end to the USB 2.0 FireWire Hub.

Step 2 (If using the USB Hub)
Plug the Hi-Speed USB 2.0 Cable (Type B) connects into the USB 2.0 upstream port.

Step 3 (If using the FireWire Hub)
Plug the Hi-Speed USB 2.0 Cable (Type A) connects into your computer's USB 2.0 or USB 1.1 port.

Step 4 Turn on your computer.

Step 5 Once your computer has finished booting up, a series of messages will let you know that the USB 2.0 Hub has been recognized and the Hub is successfully installed. If you do not see the message, a series of warning will prompt to remind you that a non-high speed port has been detected. In that case just close the warning window and continue.

Front:

7. Care & Handling

To insure the maximum reliability of the USB 2.0 / FireWire® Universal Hub please follow the guidelines listed below.

DO NOT open the case for any reason.

DO NOT drop the unit or subject it to any physical damage.

DO NOT use any sharp objects to clean the unit.

DO NOT keep the unit in a dusty environment.

DO NOT expose the unit to extreme temperatures.

DO NOT place the unit in an area with an excessive amount of dirt.

8. Troubleshooting

All information contained herein is subject to change without notice. If you are unable to find a particular piece of information, please contact your IOGEAR Service Support Representative for assistance. IOGEAR Service Support team is available to answer your technical questions. Do not hesitate to call.

IOGEAR Service Support can be reached by phone at 888-464-4337, 24 hours a day, Monday through Friday. You may also reach us online at www.IoGear.com 24 hours a day. Please be ready to give a brief description of the problem, and what you were doing when the problem occurred, before calling. Service support is available to help you troubleshoot your problem. If you are able to serve you much quicker, if you are prepared to answer the right questions listed below.

1) What is the purchase date and serial number of the Hub?
2) Were any messages displayed on the screen when the error occurred? If so, what was the exact message?
3) What type of Computer are you using?
4) When does the problem occur?
5) What version of the OS are you using?
6) Are you a network? If so, what type of network is it?
7) What have you already tried to resolve the problem?

9. Radio and TV Interference

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

10. Warranty

IN NO EVENT SHALL THE DIRECT VENDOR'S LIABILITY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT, DISK OR DOCUMENTATION EXCEED THE PRICE PAID FOR THE PRODUCT.

The direct vendor makes no warranty, representation, expressed, implied, or statutory with respect to the products or documentation. The direct vendor does not warrant merchantability or fitness for any particular purpose.

The direct vendor also reserves the right to revise or update the device or documentation without notice or obligation to any individual or entity of such revisions, or updates. For further inquiries please contact your direct vendor.

Copyright © 2005 IOGEAR®
All rights reserved. All trade names and trademarks are the registered property of their respective owners.

PAG-MI-2705

4-Port USB 2.0 / 3-Port FireWire® Universal Combo Hub
GUH420 Quick Start Guide